Chem.-Biol. Interactions, 62 (1987) 297–300
Elsevier Scientific Publishers Ireland Ltd.

CHEMICO-BIOLOGICAL INTERACTIONS

SUBJECT INDEX

VOLUME 62 (1987)

trans-4-Acetylaminostilbene, aromatic amines, RNA binding, DNA binding, guanine adduct, 143

Active oxygen generation, 1,2,4-triaminobenzene, glutathione, pyridine nucleotides, 131

Alcohols, quantitative structure-activity relationships, cytochrome *P*-450, molecular orbital parameters, 271

Aldehyde dehydrogenase, phenobarbital, 3-methylcholanthrene, human hepatocytes, $HepG_2$, 75

Aldehydes, methyl glyoxal, 4-hydroxyalkenals, phytohemagglutinin cultures, mixed lymphocyte cultures, [^{3}H]thymidine incorporation, 217

Alkylperoxyl radicals, peroxyl radicals, halogenated alkanes, oxidation kinetics, pulse radiolysis, toxicity, ferrous porphyrin, phenols, ascorbate, chlorpromazine, 227

Amsacrine, antitumour, ethidium, flourescence quenching, 45

Antitumour, amsacrine, ethidium, flourescence quenching, 45

Aromatic amines, *trans*-4-acetylaminostilbene, RNA binding, DNA binding, guanine adduct, 143

Ascorbate, alkylperoxyl radicals, peroxyl radicals, halogenated alkanes, oxidation kinetics, pulse radiolysis, toxicity, ferrous porphyrin, phenols, chlorpromazine, 227

Aza-analogues, tilorone, intercalation, electrostatic DNA binding, IFN induction, 25

Benzo[*a*]pyrene, cytochrome induction, carcinogen binding protein, 15

Carcinogens, induction, dolichol, dolichyl P, microsomes, peroxisomes, 191

Carcinogen binding protein, cytochrome induction, benzo[*a*]pyrene, 15

CC-1065 (antitumor agent), DNA conformation, DNA binding, poly(dl-5BrdC) · poly(dl-5BrdC), 281

Celiptium®, fetal thymidine kinase, creatine kinase, progesterone receptor, uterus, rat, 167

Cell cycle, hepatocytes, mitosis, G_2 block, hepatocarcinogenesis, 99

(*R,S*)-3-Chlorolactaldehyde, metabolic inhibition, renal metabolism, oxalate, (*R*)-3-chlorolactate, (*S*)-3-chlorolactate, 157

(*R*)-3-Chlorolactate, metabolic inhibition, renal metabolism, oxalate, (*S*)-3-chlorolactate, (*R,S*)-3-chlorolactaldehyde, 157

(*S*)-3-Chlorolactate, metabolic inhibition, renal metabolism, oxalate, (*R*)-3-chlorolactate, (*R,S*)-3-chlorolactaldehyde, 157

Chlorpromazine, alkylperoxyl radicals, peroxyl radicals, halogenated alkanes, oxidation kinetics, pulse radiolysis, toxicity, ferrous porphyrin, phenols, ascorbate, 227

Cholesterol, kidney, lead nitrate, hexose monophosphate, shunt, hyperplasia, 209

Cisplatin, DNA-metal binding, metal radiosensitizers, nitroimidazoles, inhibition of restriction endonucleases, plasmid DNA, 117

Creatine kinase, celiptium®, fetal thymidine kinase, progesterone receptor, uterus, rat, 167

Cysteine, etoposide, thiols, glutathione, 237

Cytochrome induction, carcinogen binding protein, benzo[*a*]pyrene, 15

Cytochrome *P*-420, *trans*-4-hydroxyalkenals, cytochrome *P*-450, *trans*-4-

hydroxy-2-nonenal, *trans*-4-hydroxy-2-hexenal, 59
Cytochrome *P*-450, *trans*-4-hydroxy-alkenals, cytochrome *P*-420, *trans*-4-hydroxy-2-nonenal, *trans*-4-hydroxy-2-hexenal, 59
—, quantitative structure-activity relationships, alcohols, molecular orbital parameters, 271

Detoxification, ozonides, glutathione, glutathione *S*-transferase, 3
DNA binding, aromatic amines, *trans*-4-acetylaminostilbene, RNA binding, guanine adduct, 143
—, CC-1065 (antitumor agent), DNA conformation, poly(dl-5BrdC) · poly(dl-5BrdC), 281
DNA conformation, CC-1065 (antitumor agent), DNA binding, poly(dl-5Brd) · poly(dl-5BrdC), 281
DNA-metal binding, metal radiosensitizers, cisplatin, nitroimidazoles, inhibition of restriction endonucleases, plasmid DNA, 117
Dolichol, carcinogens, induction, dolichyl P, microsomes, peroxisomes, 191
Dolichyl P, carcinogens, induction, dolichol, microsomes, peroxisomes, 191

Electron spin resonance, glass fibres, hydroxyl radicals, 89
Electrostatic DNA binding, tilorone, azaanalogues, intercalation, IFN induction, 25
Epoxide hydrolase, induction, liver, mice, 249
Ethidium, amsacrine, antitumour, flourescence quenching, 45
Etoposide, thiols, glutathione, cysteine, 237

Ferrous porphyrin, alkylperoxyl radicals, peroxyl radicals, halogenated alkanes, oxidation kinetics, pulse radiolysis, toxicity, phenols, ascorbate, chlorpromazine, 227
Fetal thymidine kinase, celiptium®, creatine kinase, progesterone receptor, uterus, rat, 167
Flourescence quenching, amsacrine, antitumour, ethidium, 45

G_2 block, hepatocytes, mitosis, cell cycle, hepatocarcinogenesis, 99

Glass fibres, hydroxyl radicals, electron spin resonance, 89
Glutathione, etoposide, thiols, cysteine, 237
—, ozonides, glutathione *S*-transferase, detoxification, 3
—, 1,2,4-triaminobenzene, pyridine nucleotides, active oxygen generation, 131
Glutathione *S*-transferases, ozonides, glutathione, detoxification, 3
Guanine adduct, aromatic amines, *trans*-4-acetylaminostilbene, RNA binding, DNA binding, 143

Halogenated alkanes, alkylperoxyl radicals, peroxyl radicals, oxidation kinetics, pulse radiolysis, toxicity, ferrous porphyrin, phenols, ascorbate, chlorpromazine, 227
Hepatocarcinogenesis, hepatocytes, mitosis, cell cycle, G_2 block, 99
Hepatocytes, mitosis, cell cycle, G_2 block, hepatocarcinogenesis, 99
—, MPTP, MPP^+, metabolism, toxicity, 105
$HepG_2$, aldehyde dehydrogenase, phenobarbital, 3-methylcholanthrene, human hepatocytes, 75
Hexose monophosphate, shunt, kidney, cholesterol, lead nitrate, hyperplasia, 209
Human hepatocytes, aldehyde dehydrogenase, phenobarbital, 3-methylcholanthrene, $HepG_2$, 75
4-Hydroxyalkenals, aldehydes, methyl glyoxal, phytohemagglutinin cultures, mixed lymphocyte cultures, [^{3}H]-thymidine incorporation, 217
trans-4-Hydroxy-alkenals, cytochrome *P*-450, cytochrome *P*-420, *trans*-4-hydroxy-2-nonenal, *trans*-4-hydroxy-2-hexenal, 59
Hydroxyanthraquinones, oxidative phosphorylation, mitochondria, 179
trans-4-Hydroxy-2-hexenal, *trans*-4-hydroxy-alkenals, cytochrome *P*-450, cytochrome *P*-420, *trans*-4-hydroxy-2-nonenal, 59
trans-4-Hydroxy-2-nonenal, *trans*-4-hydroxy-alkenals, cytochrome *P*-450, cytochrome *P*-420, *trans*-4-hydroxy-2-hexenal, 59
Hydroxyl radicals, glass fibres, electron spin resonance, 89

Hyperplasia, kidney, cholesterol, lead nitrate, hexose monophosphate shunt, 209

IFN induction, tilorone, aza-analogues, intercalation, electrostatic DNA binding, 25
Induction, carcinogens, dolichol, dolichyl P, microsomes, peroxisomes, 191
—, epoxide hydrolase, liver, mice, 249
Inhibition of restriction endonucleases, DNA-metal binding, metal radiosensitizers, cisplatin, nitroimidazoles, plasmid DNA, 117
Intercalation, tilorone, aza-analogues, electrostatic DNA binding, IFN induction, 25

Kidney, cholesterol, lead nitrate, hexose monophosphate shunt, hyperplasia, 209

Lead nitrate, kidney, cholesterol, hexose monophosphate shunt, hyperplasia, 209
Liver, epoxide hydrolase, induction, mice, 249

Mitosis, hepatocytes, cell cycle, G_2 block, hepatocarcinogenesis, 99
Metabolic inhibition, renal metabolism, oxalate, (*R*)-3-Chlorolactate, (*S*)-3-chlorolactate (*R,S*)-3-chlorolactaldehyde, 157
Metabolism, MPTP, MPP^+, hepatocytes, toxicity, 105
Metal radiosensitizers, DNA-metal binding, cisplatin, nitroimidazoles, inhibition of restriction endonucleases, plasmid DNA, 117
3-Methylcholanthrene, aldehyde dehydrogenase, phenobarbital, human hepatocytes, $HepG_2$, 75
Methyl glyoxal, aldehydes, 4-hydroxyalkenals, phytohemagglutinin cultures, mixed lymphocyte cultures, [^{3}H]-thymidine incorporation, 217
Mice, epoxide hydrolase, induction, liver, 249
Microsomes, carcinogens, induction, dolichol, dolichyl P, peroxisomes, 191
Mitochondria, hydroxyanthraquinones, oxidative phosphorylation, 179
Mixed lymphocyte cultures, aldehydes, methyl glyoxal, 4-hydroxyalkenals, phytohemagglutinin cultures, [^{3}H]thymidine incorporation, 217
Molecular orbital parameters, quantitative structure-activity relationships, cytochrome *P*-450, alcohols, 271
MPP^+, MPTP, hepatocytes, metabolism, toxicity, 105
MPTP, MPP^+, hepatocytes, metabolism, toxicity, 105

Nitroimidazoles, DNA-metal binding, metal radiosensitizers, cisplatin, inhibition of restriction endonucleases, plasmid DNA, 117

Ozonides, glutathione, glutathione *S*-transferases, detoxification, 3
Oxalate, metabolic inhibition, renal metabolism, (*R*)-3-chlorolactate, (*S*)-3-chlorolactate (*R,S*)-3-chlorolactaldehyde, 157
Oxidation kinetics, alkylperoxyl radicals, peroxyl radicals, halogenated alkanes, pulse radiolysis, toxicity, ferrous porphyrin, phenols, ascorbate, chlorpromazine, 227
Oxidative phosphorylation, hydroxyanthraquinones, mitochondria, 179

Peroxisomes, carcinogens, induction, dolichol, dolichyl P, microsomes, 191
Peroxyl radicals, alkylperoxyl radicals, halogenated alkanes, oxidation kinetics, pulse radiolysis, toxicity, ferrous porphyrin, phenols, ascorbate, chlorpromazine, 227
Phenobarbital, aldehyde dehydrogenase, 3-methylcholanthrene, human hepatocytes, $HepG_2$, 75
Phenols, alkylperoxyl radicals, peroxyl radicals, halogenated alkanes, oxidation kinetics, pulse radiolysis, toxicity, ferrous porphyrin, ascorbate, chlorpromazine, 227
Phytohemagglutinin cultures, aldehydes, methyl glyoxal, 4-hydroxyalkenals, mixed lymphocyte cultures, [^{3}H]thymidine incorporation, 217
Plasmid DNA, DNA-metal binding, metal radiosensitizers, cisplatin, nitroimidazoles, inhibition of restriction endonucleases, 117
Poly(dI-5BrdC) · poly(dI-5BrdC), CC-1065 (antitumor agent), DNA conformation, DNA binding, 281

Progesterone receptor, celiptium®, fetal thymidine kinase, creatine kinase, uterus, rat, 167
Pulse radiolysis, alkylperoxyl radicals, peroxyl radicals, halogenated alkanes, oxidation kinetics, toxicity, ferrous porphyrin, phenols, ascorbate, chlorpromazine, 227
Pyridine nucleotides, 1,2,4-triaminobenzene, glutathione, active oxygen generation, 131

Quantitative structure-activity relationships, cytochrome *P*-450, alcohols, molecular orbital parameters, 271

Rat, celiptium®, fetal thymidine kinase, creatine kinase, progesterone receptor, uterus, 167
Renal metabolism, metabolic inhibition, oxalate, (*R*)-3-chlorolactate, (*S*)-3-chlorolactate, (*R*,*S*)-3-chlorolactaldehyde, 157
RNA binding, aromatic amines, *trans*-4-acetylaminostilbene, DNA binding, guanine adduct, 143

Thiols, etoposide, glutathione, cysteine, 237
[^{3}H]Thymidine incorporation, aldehydes, methyl glyoxal, 4-hydroxyalkenals, phytohemagglutinin cultures, mixed lymphocyte cultures, 217
Tilorone, aza-analogues, intercalation, electrostatic DNA binding, IFN induction, 25
Toxicity, alkylperoxyl radicals, peroxyl radicals, halogenated alkanes, oxidation kinetics, pulse radiolysis, ferrous porphyrin, phenols, ascorbate, chlorpromazine, 227
Toxicity, MPTP, MPP^+, hepatocytes, metabolism, 105
1,2,4-Triaminobenzene, glutathione, pyridine nucleotides, active oxygen generation, 131

Uterus, celiptium®, fetal thymidine kinase, creatine kinase, progesterone receptor, rat, 167

Chem.-Biol. Interactions, 62 (1987) 301
Elsevier Scientific Publishers Ireland Ltd,

CHEMICO-BIOLOGICAL INTERACTIONS

AUTHOR INDEX

VOLUME 62 (1987)

Adomat, H. 117
Alink, G.M. 3

Baccino, F.M. 217
Baguley, B.C. 45
Betina, V. 179
Bonelli, G. 217
Brault, D. 227

Castagnoli, N., Jr. 105
Chiodino, C. 209
Columbano, A. 209
Coni, P. 209

Dallner, G. 191
Daoust, R. 99
Davis, L.M. 45
DePierre, J.W. 249
Dessi, S. 209
Di Monte, D. 105
Dianzani, M.U. 217

Edlund, C. 191
Ekström, G. 105
El Hiyani, L. 167
Ericsson, J. 191

Faa, G. 209
Farrell, N.P. 117
Fikus, M. 25
Franz, R. 143

Gočas, T. 25
Gulumian, M. 89

Harvey, J.D. 45
Huie, R.E. 227

Inglot, A.D. 25

Jones, A.R. 157
Jouan, P. 167

Kalyanaraman, B. 237
Katki, A.G. 237
Konway, D.C. 117
Kreuger, W.C. 281
Kuželа, S. 179

Lame', M.W. 59
Ledda-Columbano, G.M. 209
Lemmink, H.H. 3
Lewis, D.F.V. 271

Marselos, M. 75
Matera, L. 217
Meijer, J. 249
Michalopoulos, G. 75
Munday, R. 131

Neta, P. 227
Neumann, H.-G. 143

Pani, P. 209
Porter, K.E. 157
Prairie, M.D. 281

Rietjens, I.M.C.M. 3

Samperez, S. 167
Segall, H.J. 59
Shinka, T. 105
Sinha, B.K. 237
Skov, K.A. 117
Smith, M.T. 105
Strom, S.C. 75
Szulc, B. 25
Szulc, Z. 25

Tessitore, L. 217
Trevor, A.J. 105

Van Bladeren, P.J. 3
Van Wyk, J.A. 89

Zytkovicz, T.H. 15